INDEX

ACETATE, vitamin A (see Vitamin A acetate).
Acetylation and optical isomerism, influence upon availability of tryptophan for maintenance in man, 203.
Acid beverages, erosion of molar teeth by, 313.
Adolescent(s) girls (6), iron requirement of, 67.
— older, ascorbic acid metabolism of, 1.
Adrenal cortex and kidney during acute choline deficiency in weanling rats, physiological and cytochemical study of, 31.
Adult rat (see Rat, adult).
Alcohol, vitamin A (see Vitamin A alcohol).
Alloxan, relationship of dietary factors to toxicity of, 529.
Amino acid composition and nutritive value of 6 reference proteins. Assay of dry proteins by rat repletion method, 427.
—— content of fish and meat products. I., 177; II., 187.
—— (except tryptophan) content, essential, of colostrum and milk of cow and ewe, 167.
Animal protein in daily meals, nitrogen excretion of women related to distribution of, 57.
Antibodies, production in protein depleted and repleted rabbits, 299.
Ascorbic acid metabolism of older adolescents, 1.
Assay of dry proteins by rat repletion method. Nutritive value and amino acid composition of 6 reference proteins, 427.
Award, B complex (see Mead Johnson and Company).
— Borden (see Borden Award).
— Osborne and Mendel (see Osborne and Mendel Award).

B COMPLEX award (see Mead Johnson and Company).
BACON, E. K. See Lassen, S., 83.
Balance, nitrogen (see Nitrogen balance).
BALDWIN, H. R., AND C. P. BERG. The influence of optical isomerism and acetylation upon the availability of tryptophan for maintenance in man, 203.
BEADLES, J. R. See Mitchell, H. H., 413, 463.
BEHAN, I. T. See Booher, L. E., 495.
BERG, C. P. See Baldwin, H. R., 203.
BERRYMAN, G. H. See Scudamore, H. H., 555.
BESSEY, O. A. See Snyderman, S. E., 219.
Beverages, acid, erosion of molar teeth by, 313.
BIRD, F. H. Magnesium deficiency in the chick. I. Clinical and neuropathologic findings, 13.
BLISS, C. I., See Wharton, F. D., 543.
Blood glucose, urinary pantothenate, and inorganic serum phosphate in patients with metabolic disorders treated with high doses of pantothenate, 107.
Bobwhite quail (breeding), calcium and phosphorus requirements of, 567.
BOEDDEKER, H. S. See Booher, L. E., 495.
BOOHER, L. E., AND I. T. BEHAN. Nutrient analyses of U. S. food supplies. Analyses of composited samples of our national food supplies and of the white flour and nonwhite flour components thereof in terms of various nutrients, 495.
Borden award in nutrition, 284, 443.
BOYD, H. M. See Booher, L. E., 495.
Breeding bobwhite quail (see Quail).
BRICKER, M. L., J. M. SMITH, T. S. HAMILTON AND H. H. MITCHELL. The effect of cocoa upon calcium utilization and requirements, nitrogen retention and fecal composition of women, 445
Bromide, effect on experimental rat caries, 147
BURCH, H. B. See Snyderman, S. E., 219.
Butter (summer), and other fats, growth-promoting effect on rat, 83.

CALCIUM and phosphorus requirements of breeding bobwhite quail, 567.
— requirements and utilization, nitrogen retention and fecal composition of women, effect of cocoa upon, 445.
CAMIEN, M. N. See Dunn, M. S., 177.
Canned foods, nutritive value of. Amino acid content of fish and meat products. I., 177; II., 187.
Carbohydrate, effect on nutritive value of heated lactalbumin, 341.
— ingestion, time of, as factor in protein utilization by adult rat, 375.
— metabolism (see Metabolism, carbohydrate).
Caries, rat (see Rat caries).
Carious lesions produced in Norway rat on a generally adequate, finely powdered, purified ration, location, sequence and extent of, 139.
Carotene from different sources, utilization by laying chickens, 517.
Chick, folic acid deficiency in, in presence of vitamin B_{12}, 287.
— magnesium deficiency in. I., 13.
— utilization of vitamin A alcohol, vitamin A acetate and vitamin A natural esters, 233.
Chickens, laying, utilization of carotene from different sources by, 517.
Choline deficiency acute, in weanling rats, physiological and cytochemical study of kidney and adrenal cortex during, 31.
Cocoa, effect upon calcium utilization and requirements, nitrogen retention and fecal composition of women, 445.
COFFEY, R. E. See Storvick, C. A., 1.
Colostrum and milk of cow and ewe, essential amino acid (except tryptophan) content of, 167.
Commercial processing, nutritional effects of heat on food proteins, with particular reference to, 413.
CONSOLAZIO, F. C. See Scudamore, H. H., 555.

Cooking (home), nutritional effects of heat on food proteins, with particular reference to, 413.
COPELAND, D. H. See Hove, E. L., 397.
Corn, effect of storage on nutritional qualities of proteins of, 463.
Cortex, adrenal (see Adrenal cortex).
Cow, essential amino acid (except tryptophan) content of colostrum and milk of, 167.
CSONKA, F. A., AND M. W. OLSEN. A growth factor transmitted by the hen through the egg to her progeny, 485.
Cytochemical and physiological study of kidney and adrenal cortex during acute choline deficiency in weanling rats, 31.

DAVEY, B. L. See Storvick, C. A., 1.
DEANE, H. W. See Olson, R. E., 31.
DERBY, J. V., JR. See DeWitt, J. B., 567.
DEUEL, H. J., JR. See Liener, I., 325.
DEWITT, J. B., R. B. NESTLER AND J. V. DERBY, JR. Calcium and phosphorus requirements of breeding bobwhite quail, 567.
Dietary depletion of riboflavin, effects of, 357.
— factors, relationship to toxicity of alloxan, 529.
— protein, nitrogen balance in men consuming raw or heated egg white as supplemental source of, 555.
DIETRICH, L. S. See Nichol, C. A., 287.
Diets containing concentrates of the soybean trypsin inhibitor, effect of supplemental methionine on nutritive value of, 325.
Disease (fatal vitamin E deficiency), in rats characterized by massive lung hemorrhage and liver necrosis, 397.
Dog, hypervitaminosis A in, 117.
Dry proteins (see Proteins, dry).
DUNN, M. S., M. N. CAMIEN, S. EIDUSON AND R. B. MALIN. The nutritive value of canned foods. Amino acid content of fish and meat products. I., 177.
Dystrophy, nutritional muscular, urinary excretion of pentose- and phosphorus-containing complexes in, 159.

EASTERLING, L. See Sure, B., 393.
Egg, growth factor transmitted by hen to progeny through, 485.
— white, raw or heated, as supplemental source of dietary protein, nitrogen balance in men consuming, 555.
EIDUSON, S. See Dunn, M. S., 177.
ELVEHJEM, C. A. See Neilands, J .B., 187; Nichol, C. A., 287.
Erosion of molar teeth by acid beverages, 313.
ERSHOFF, B. H. Protective effects of soybean meal for the immature hyperthyroid rat, 259.
Esters (natural vitamin A), vitamin A alcohol and vitamin A acetate, utilization by chick, 233; by rat, 251.
Ewe, essential amino acid (except tryptophan) content of colostrum and milk of, 167.
Excretion, nitrogen (see Nitrogen excretion).
— urinary (see Urinary excretion).
Experimental rat caries. II. Location, sequence and extent of carious lesions produced in Norway rat when raised on a generally adequate, finely powdered, purified ration, 139; III. The effect of bromide on experimental rat caries, 147.
——— effect of bromide on, 147.
Extent, location and sequence of carious lesions produced in Norway rat on a generally adequate, finely powdered, purified ration, 139.

FATAL vitamin E deficiency disease in rats characterized by massive lung hemorrhage and liver necrosis, 397.
Fats (other), and summer butter, growth-promoting effect on rat, 83.
Fecal composition, nitrogen retention and calcium utilization and requirements of women, effect of cocoa upon, 445.
FEVOLD, H. L. See Liener, I., 325; Scudamore, H. H., 555.
FINCKE, M. L. See Storvick, C. A., 1.
Fish and meat products, amino acid content of. I., 177; II., 187.
Flour (white and non-white) components of our national food supplies, analyses in terms of various nutrients, 495.
Folic acid deficiency in chick in presence of vitamin B_{12}, 287.
Food(s), canned (see Canned foods).
— proteins, nutritional effects of heat on, 413.
— supplies, national, analyses of composited samples of, and of white flour and non-white flour components thereof, in terms of various nutrients, 495.
—— U.S., nutrient analyses of, 495.
— utilization, role of pyridoxine in economy of, 393.
FREY, P. R., AND H. S. WILGUS. The utilization of carotene from different sources by laying chickens, 517.
FROST, D. V., AND H. R. SANDY. Assay of dry proteins by rat repletion method. Nutritive value and amino acid composition of 6 reference proteins, 427.

GEMEROY, D. G., AND A. H. KOFFLER. The production of antibodies in protein depleted and repleted rabbits, 299.
GERSHBERG, H., S. H. RUBIN AND E. P. RALLI. Urinary pantothenate, blood glucose, and inorganic serum phosphate in patients with metabolic disorders treated with high doses of pantothenate, 107.
Girls, 6 adolescent, iron requirement of, 67.
Glucose (blood), urinary pantothenate, and inorganic serum phosphate in patients with metabolic disorders treated with high doses of pantothenate, 107.
GORDON, L. E. See Scudamore, H. H., 555.
GRAM, M. R. See Leverton, R. M., 57.
GRIMES, M. See Minot, A. S., 159.
GRISWOLD, LOIS. See Wharton, F. D., 543.
Growth factor (rat) in liver and succinylsulfathiazole, 579.
—— transmitted by hen through egg to progeny, 485.
— promoting effect on rat of summer butter and other fats, 83.
GUY, L. P. See Snyderman, S. E., 219.
GYÖRGY, P. See Rose, C. S., 529.

HAMILTON, T. S. See Bricker, M. L., 445; Mitchell, H. H., 413.
HART, E. B. See Nichol, C. A., 287.
HARVEY, C. C. See Horwitt, M. K., 357.
Heat, nutritional effects on food proteins, 413.
Heated lactalbumin, effect of carbohydrate on nutritive value of, 341.
— or raw egg white as supplemental source of dietary protein, nitrogen balance in men consuming, 555.
Hemorrhage (massive lung) and liver necrosis, fatal vitamin E deficiency disease in rats characterized by, 397.
Hen, growth factor transmitted by, through egg to progeny, 485.
HILLS, O. W. See Horwitt, M. K., 357.
HOLT, L. E., JR. See Snyderman, S. E., 219.

Home cooking, nutritional effects of heat on food proteins, with particular reference to, 413
HOMRICH, B. R. See Booher, L. E., 495.
HORWITT, M. K., O. W. HILLS, C. C. HARVEY, E. LIEBERT AND D. L. STEINBERG. Effects of dietary depletion of riboflavin, 357.
HOVE, E. L., D. H. COPELAND AND W. D. SALMON. A fatal vitamin E deficiency disease in rats characterized by massive lung hemorrhage and liver necrosis, 397.
Hyperthyroid rat, immature, protective effects of soybean meal for, 259.
Hypervitiaminosis A in dog, 117.

INFANT, minimum riboflavin requirement of, 219.
Inhibitor (soybean trypsin), effect of supplemental methionine on nutritive value of diets containing concentrates of, 325.
Inorganic serum phosphate (see Serum phosphate, inorganic).
Intestinal synthesis of niacin and metabolic interrelationship of tryptophan and niacin in rabbit, 93.
Iron requirement of 6 adolescent girls, 67.
Isomerism (optical) and acetylation, influence upon availability of tryptophan for maintenance in man, 203.

JOHNSTON, F. A. See Schlaphoff, D., 67.
JONES, J. H., C. S. ROGERS AND C. H. STONE. III. Succinylsulfathiazole and a rat growth factor in liver, 579.

KETRON, K. C. See Snyderman, S. E., 219.
Kidney and adrenal cortex during acute choline deficiency in weanling rats, physiological and cytochemical study of, 31.
KOFFLER, A. H. See Gemeroy, D. G., 299.
KUIKEN, K. A., AND P. B. PEARSON. The essential amino acid (except tryptophan) content of colostrum and milk of the cow and ewe, 167.

LACTALBUMIN, heated, effect of carbohydrate on nutritive value of, 341.
LASSEN, S., AND E. K. BACON. The growth-promoting effect on the rat of summer butter and other fats, 83.
Laying chickens (see Chickens, laying).
Lesions, carious, produced in Norway rat on a generally adequate, finely powdered, purified ration, location, sequence and extent of, 139.
LEVERTON, R. M., AND M. R. GRAM. Nitrogen excretion of women related to the distribution of animal protein in daily meals, 57.
LIEBERT, E. See Horwitt, M. K., 357.
LIENER, I. E., H. J. DEUEL, JR. AND H. L. FEVOLD. The effect of supplemental methionine on the nutritive value of diets containing concentrates of the soybean trypsin inhibitor, 325.
LIGHTBODY, H. D. See Scudamore, H. H., 555.
Liver necrosis and massive lung hemorrhage, fatal vitamin E deficiency disease in rats characterized by, 397.
— succinylsulfathiazole and a rat growth factor in, 579.
Location, sequence and extent of carious lesions produced in Norway rat on a generally adequate, finely powdered, purified ration, 139.
LOWRY, O. H. See Snyderman, S. E., 219.
Lung hemorrhage (massive) and liver necrosis, fatal vitamin E deficiency disease in rats characterized by, 397.

MADDOCK, C. L., S. B. WOLBACH AND S. MADDOCK. Hypervitaminosis A in the dog, 117.
MADDOCK, S. See Maddock, C. L., 117.
MADER, I. J., L. J. SCHROEDER AND A. H. SMITH. The effect of carbohydrate on the nutritive value of heated lactalbumin, 341.
Magnesium deficiency in chick. I. Clinical and neuropathologic findings, 13.
MALIN, R. B. See Dunn, M. S., 177.
Man, influence of optical isomerism and acetylation upon availability of tryptophan for maintenance in, 203.
MATTERSON, L. D. See Wharton, F. D., 543.
MCCAY, C. M., AND L. C. WILL. Erosion of molar teeth by acid beverages, 313.
Mead Johnson and Company, B complex award, 283, 442.
Meals, daily, nitrogen excretion of women related to distribution of animal protein in, 57.
Meat and fish products, amino acid content of. I., 177; II., 187.
Men consuming raw or heated egg white as supplemental source of dietary protein, nitrogen balance in, 555.
Metabolic disorders treated with high doses of pantothenate, urinary pantothenate, blood glucose, and inorganic serum phosphate in patients with, 107.
— interrelationship of tryptophan and niacin in rabbit, 93.
Metabolism, ascorbic acid, of older adolescents, 1.
— carbohydrate, relationship to protein metabolism. III. Further observations on time of carbohydrate ingestion as factor in protein utilization by adult rat, 375.
— protein, relationship to carbohydrate metabolism. III., 375.
Methionine, effect of supplemental, on nutritive value of diets containing concentrates of the soybean trypsin inhibitor, 325.
Milk and colostrum of cow and ewe, essential amino acid (except tryptophan) content of, 167
MINOT, A. S., AND M. GRIMES. The urinary excretion of pentose- and phosphorus-containing complexes in nutritional muscular dystrophy, 159.
MITCHELL, H. H., AND J. R. BEADLES. The effect of storage on the nutritional qualities of the proteins of wheat, corn and soybeans, 463.
— T. S. HAMILTON AND J. R. BEADLES. The nutritional effects of heat on food proteins, with particular reference to commercial processing and home cooking, 413.
— See Bricker, M. L., 445.
Molar teeth (see Teeth, molar).
MOREY, G. R. See Scudamore, H. H., 555.
MUNRO, H. N. The relationship of carbohydrate metabolism to protein metabolism. III. Further observations on time of carbohydrate ingestion as a factor in protein utilization by the adult rat, 375.
Muscular dystrophy, nutritional, urinary excretion of pentose- and phosphorus-containin complexes in, 159.

NATIONAL food supplies, analysis of composited samples of, and of white flour and non-white flour components thereof, in terms of various nutrients, 495.

Necrosis (liver) and massive lung hemorrhage, fatal vitamiin E deficiency disease in rats characterized by, 397.
NEILANDS, J. B., R. J. SIRNY, I. SOHLJELL, F. M. STRONG AND C. A. ELVEHJEM. The nutritive value of canned foods. Amino acid content of fish and meat products, II., 187.
NESTLER, R. B. See DeWitt, J. B., 567.
Neuropathologic findings. Magnesium deficiency in the chick. I., 13.
Niacin and tryptophan, metabolic interrelationship in rabbit, 93.
— intestinal synthesis in rabbit, 93.
NICHOL, C. A., L. S. DIETRICH, C. A. ELVEHJEM AND E. B. HART. Observations on folic acid deficiency in the chick in the presence of vitamin B_{12}, 287.
NITCHALS, R. M. See Storvick, C. A., 1.
Nitrogen balance in men consuming raw or heated egg white as supplemental source of dietary protein, 555.
— excretion of women related to distribution of animal protein in daily meals, 57.
— retention, fecal composition and calcium utilization and requirements of women, effect of cocoa upon, 445.
Norway rat on a generally adequate, finely powdered, purified ration, location, sequence and extent of carious lesions produced in, 139.
Nutrient analyses of U. S. food supplies. Analyses of composited samples of our national food supplies and of white flour and non-white flour components thereof in terms of various nutrients, 495.
Nutrition, Borden award in (see Borden award).
Nutritional effects of heat on food proteins, with particular reference to commercial processing and home cooking, 413.
— muscular dystrophy, urinary excretion of pentose- and phosphorus-containing complexes in, 159.
— qualities of proteins of wheat, corn and soybeans, effect of storage on, 463.
Nutritive value and amino acid composition of 6 reference proteins. Assay of dry proteins by rat repletion method, 427.
— — of canned foods. Amino acid content of fish and meat products. I., 177; II., 187.
— — of diets containing concentrates of the soybean trypsin inhibitor, effect of supplemental methionine on, 325.
— — of heated lactalbumin, effect of carbohydrate on, 341.

OLCESE, O., P. B. PEARSON AND P. SPARKS. Intestinal synthesis of niacin and the metabolic interrelationship of tryptophan and niacin in the rabbit, 93
OLSEN, M. W. See Csonka, F. A., 485.
OLSON, R. E., AND H. W. DEANE. A physiological and cytochemical study of the kidney and the adrenal cortex during acute choline deficiency in weanling rats, 31.
Optical isomerism and acetylation, influence upon availability of tryptophan for maintenance in man, 203.
Osborne and Mendel award, 285, 441.

PANTOTHENATE (high doses of), urinary pantothenate, blood glucose, and inorganic serum phosphate in patients with metabolic disorders treated with, 107.
Patients with metabolic disorders treated with high doses of pantothenate, urinary pantothenate, blood glucose, and inorganic serum phosphate in, 107.
PEARSON, P. B. See Kuiken, K. A., 167; Olcese, O., 93.
Pentose- and phosphorus-containing complexes, urinary excretion in nutritional muscular dystrophy, 159
Phosphate, serum (see Serum phosphate).
Phosphorus and calcium requirements of breeding bobwhite quail, 567.
— and pentose-containing complexes, urinary excretion in nutritional muscular dystrophy, 159.
Physiological and cytochemical study of kidney and adrenal cortex during acute choline deficiency in weanling rats, 31.
Powdered ration (generally adequate and purified), location, sequence and extent of carious lesions produced in Norway rat on, 139.
Processing, commercial, nutritional effects of heat on food proteins, with particular reference to, 413.
Progeny, growth factor transmitted by hen through egg to, 485.
Protective effects of soybean meal for immature hyperthyroid rat, 259.
Protein(s) (animal) in daily meals, nitrogen excretion of women related to distribution of, 57.
— depleted and repleted rabbits, production of antibodies in, 299.
— dietary, nitrogen balance in men consuming raw or heated egg white as supplemental source of, 555.
— dry, assay by rat depletion method. Nutritive value and amino acid composition of 6 reference proteins, 427.
— (food), nutritional effects of heat on, 413.
— metabolism (see Metabolism, protein).
— of wheat, corn and soybeans, effect of storage on nutritional qualities of, 463.
— (6 reference), nutritive value and amino acid composition of. Assay of dry proteins by rat repletion method, 427.
— utilization by adult rat, time of carbohydrate ingestion as factor in, 375.
Purified ration (generally adequate and finely powdered), location, sequence and extent of carious lesions produced in Norway rat on, 139.
Pyridoxine, role in economy of food utilization, 393.

QUAIL (breeding bobwhite), calcium and phosphorus requirements of, 567.

RABBITS(s), intestinal synthesis of niacin and metabolic interrelationship of tryptophan and niacin in, 93.
— protein depleted and repleted, production of antibodies in, 299.
RALLI, E. P. See Gershberg, H., 107.
Rat(s), adult, time of carbohydrate ingestion as factor in protein utilization by, 375.
— caries, experimental. II., 139; III., 147.
— — — effect of bromide on, 147.
— fatal vitamin E deficiency disease in, characterized by massive lung hemorrhage and liver necrosis, 397.
— growth factor in liver and succinylsulfathiazole, 579.
— — promoting effect on, of summer butter and other fats, 83.
— immature hyperthyroid, protective effects of soybean meal for, 259.
— Norway, on a generally adequate, finely powdered, purified ration, location, sequence and extent of carious lesions produced in, 139.

— repletion method, assay of dry proteins by. Nutritive value and amino acid composition of 6 reference proteins, 427.
— utilization of vitamin A alcohol, vitamin A acetate and vitamin A natural esters, 251.
— weanling, physiological and cytochemical study of kidney and adrenal cortex during acute choline deficiency in, 31.
Ration (generally adequate, finely powdered and purified), location, sequence and extent of carious lesions produced in Norway rat on, 139.
Raw or heated egg white as supplemental source of dietary protein, nitrogen balance in men consuming, 555.
Riboflavin, effects of dietary depletion of, 357.
— requirement, minimum, of infant, 219.
ROGERS, C. S. See Jones, J. H., 579.
ROSE, C. S., AND P. GYÖRGY. The relationship of dietary factors to the toxicity of alloxan, 529.
RUBIN, S. H. See Gershberg, H., 107.

SALMON, W. D. See Hove, E. L., 397.
SANDY, H. R. See Frost, D. V., 427.
SCHLAPHOFF, D., AND F. A. JOHNSTON. The iron requirement of 6 adolescent girls, 67.
SCHROEDER, L. J. See Mader, I. J., 341.
SCOTT, H. M. See Wharton, F. D., 543.
SCUDAMORE, H. H., G. R. MOREY, F. C. CONSOLAZIO, G. H. BERRYMAN, L. E. GORDON, H. D. LIGHTBODY AND H. L. FEVOLD. Nitrogen balance in men consuming raw or heated egg white as a supplemental source of dietary protein, 555.
Sequence, location and extent of carious lesions produced in Norway rat on a generally adequate, finely powdered, purified ration, 139.
Serum phosphate (inorganic), urinary pantothenate, and blood glucose in patients with metabolic disorders treated with high doses of pantothenate, 107.
SEVIGNE, F. J. See Week, E. F., 233, 251.
SIRNY, R. J., See Neilands, J. B., 187.
SMITH, A. H. See Mader, I. J., 341.
SMITH, J. M. See Bricker, M. L., 445.
SNYDERMAN, S. E., K. C. KETRON, H. B. BURCH, O. H. LOWRY, O. A. BESSEY, L. P. GUY AND L. E. HOLT, JR. The minimum riboflavin requirement of the infant, 219.
SOGNNAES, R. F. Experimental rat caries. II. Location, sequence and extent of carious lesions produced in the Norway rat when raised on a generally adequate, finely powdered, purified ration, 139; III. The effect of bromide on experimental rat caries, 147.
SOHLJELL, I. See Neilands, J. B., 187.
Soybean(s), effect of storage on nutritional qualities of proteins of, 463.
— meal, protective effects for immature hyperthyroid rat, 259.
— trypsin inhibitor, effect of supplemental methionine on nutritive value of diets containing concentrates of, 325.
SPARKS, P. See Olcese, O., 93.
STEINBERG, D. L. See Horwitt, M. K., 357.
STONE, C. H., III. See Jones, J. H., 579.
Storage, effect on nutritional qualities of proteins of wheat, corn, and soybeans, 463.
STORVICK, C. A., B. L. DAVEY, R. M. NITCHALS, R. E. COFFEY AND M. L. FINCKE. Ascorbic acid metabolism of older adolescents, 1.
STRONG, F. M. See Neilands, J. B., 187.
Succinylsulfathiazole and a rat growth factor in liver, 579.
Summer butter (see Butter, summer).
SURE, B., AND L. EASTERLING. Role of pyridoxine in economy of food utilization, 393.

TEETH, molar, erosion by acid beverages, 313.
Time of carbohydrate ingestion as factor in protein utilization by adult rat, 375.
Toxicity of alloxan, relationship of dietary factors to, 529.
Trypsin inhibitor (soybean), effect of supplemental methionine on nutritive value of diets containing concentrates of, 325.
Tryptophan and niacin, metabolic interrelationship in rabbit, 93.
— influence of optical isomerism and acetylation upon availability for maintenance in man, 203.
Turkeys, growing, vitamin A requirement of, 543.

UNITED States food supplies, nutrient analyses of, 495.
Urinary excretion of pentose- and phosphorus-containing complexes in nutritional muscular dystrophy, 159.
— pantothenate, blood glucose, and inorganic serum phosphate in patients with metabolic disorders treated with high doses of pantothenate, 107.

VITAMIN A acetate, vitamin A alcohol and vitiamin A natural esters, utilization by chick, 233; by rat, 251.
—— requirement of growing turkeys, 543.
—— utilization studies. I. The utilization of vitamin A alcohol, vitamin A acetate and vitamin A natural esters by the chick, 233; II., by the rat, 251.
— B_{12}, folic acid deficiency in chick in presence of, 287.
— E deficiency disease, fatal, in rats characterized by massive lung hemorrhage and liver necrosis, 397.

WEANLING rats (see Rats, weanling).
WEEK, E. F., AND F. J. SEVIGNE. Vitamin A utilization studies. I. The utilization of vitamin A alcohol, vitamin A acetate and vitamin A natural esters by the chick, 233; II., by the rat, 251.
WHARTON, F. D., L. D. MATTERSON, H. M. SCOTT AND C. I. BLISS. The vitamin A requirement of growing turkeys, 543.
Wheat, effect of storage on nutritional qualities of proteins of, 463.
White flour (see Flour, white).
WILGUS, H. S. See Frey, P. R., 517.
WILL, L. C. See McCay, C. M., 313.
WOLBACH, S. B. See Maddock, C. L., 117.
Women, effect of cocoa upon calcium utilization and requirements, nitrogen retention and fecal composition of, 445.
— nitrogen excretion of, related to distribution of animal protein in daily meals, 57.